


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.57



HARDY PERENNIALS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON
NEW JERSEY

SPRING 1927

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS

	Per Doz.—Per 100	
ACHILLEA		
filipendulina. A strong growing plant with fern-like foliage, bearing large, flat heads of yellow flowers. 4 ft. July-August.	\$2.00	\$12.00
Ptarmica Boule de Neige. Sprays of small, double, white flowers. 12 to 18 inches. June-September.	1.50	10.00
“ The Pearl. A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September.	1.50	10.00
tomentosa. A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers.	1.50	10.00
umbellata. A rare and dainty rock plant bearing heads of snow white flowers over tufts of silvery foliage. 6 inches. June.	2.50	15.00
AETHIONEMA (Lebanon Candytuft)		
coridifolium. A trailing rock plant bearing terminal clusters of bright pink flowers. 9 inches. April-May.	3.00	20.00
AGROSTEMMA		
coronaria. Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July.	1.25	8.00
“ alba. A white variety of the preceding.	1.25	8.00
ALYSSUM		
argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June.	1.50	10.00
saxatile compactum (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May. 1 ft.	1.25	8.00

Per Doz.—Per 100

ANEMONE

Pulsatilla (Pasque Flower) Large cup shaped, bluish purple flowers, filled with golden anthers, borne singly on stems 1 ft. high. April-May.	1.50	10.00
“ rubra. A mahogany colored variety of the last.	1.50	10.00

ANTHEMIS

tinctoria Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September.	1.50	10.00
---	------	-------

AQUILEGIA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.

chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June.	1.50	10.00
coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June.	1.50	10.00
flabellata. A dwarf species bearing ivory white flowers. 1 ft. May-June.	1.50	10.00
nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June.	1.25	8.00
Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June.	1.50	10.00

ARABIS

alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May.	1.50	10.00
---	------	-------

ARENARIA (Sandwort)

laricifolia. White flowers freely borne on short wiry stems. 6 inches. May-June.	2.00	12.00
montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May.	2.00	12.00

Per Doz.—Per 100

ARMERIA (Thrift, Sea Pink)

Cephalotes. (Giant Thrift) Strong tufts of foliage and heads of silvery pink flowers borne on stout stems. Good for cutting. 1½ ft. May-June.	1.50	10.00
maritima alba. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of white flowers. 6 inches.	1.50	10.00
“ Lauchena. Similar to the preceding but having pink flowers.	1.25	8.00

ARTEMISIA

lactiflora. Fragrant spiraea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft.	1.50	10.00
---	------	-------

ASCLEPIAS

tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June.	1.50	10.00
--	------	-------

ASPHODELINE (Asphodel)

lutea. Grassy foliage and stately spikes of yellow, lily-like flowers. 3-4 ft. July-September.	2.00	12.00
---	------	-------

ASTER. (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.

Amellus major. Dark violet-blue flowers borne in loose, spreading panicles. 2 ft. August-September.	2.00	12.00
Climax. Large, pale mauve flowers with yellow centers are profusely borne on long straight stems. 4-5 ft. September-October.	1.50	10.00
Louvain. Symmetrical bush like habit. The foliage is completely hidden by masses of medium size, delicate pink flowers. 3 ft. September.	1.50	10.00
Maggie Perry. Immense trusses of large, soft pink flowers. 4 ft. September-October.	2.50	15.00
Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 inches.	1.50	10.00

ASTER (Continued)

	Per Doz.—Per 100	
N. A. Lil Fardel. Large, clear pink flowers. 4 ft. September-October.	1.50	10.00
Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October.	1.50	10.00
Sam Banham. The best white aster; good for cutting. 3 ft. September-October.	1.50	10.00
St. Egwyn. This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft.	1.50	10.00
tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 ft. November.	1.50	10.00
White Climax. A pure white form of Climax.	1.50	10.00

ASTER, DWARF ALPINE

alpinus. Large, bluish purple flowers. 9 inches. May-June.	1.50	10.00
“ albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July.	1.50	10.00

AUBRIETIA

deltoidea. A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May.	2.00	12.00
---	------	-------

BAPTISIA

australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, resembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June-July.	1.50	10.00
--	------	-------

BOCCONIA

cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bearing panicles of creamy white flowers. 6-8 ft. July-August.	1.50	10.00
--	------	-------

BOLTONIA

asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September.	1.25	8.00
---	------	------

BOLTONIA (Continued)

	Per Doz.—Per 100	
latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September.	1.25	8.00
“ nana. A somewhat uncommon plant deserving wider recognition. It forms a compact bush, 3 ft. in height, and in September is smothered with dainty pink flowers.	2.00	12.00

CALAMINTHA

alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August.	1.50	10.00
---	------	-------

CAMPANULA (Bell-flower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.

alliaræfolia. Handsome, heart shaped leaves and creamy white, pendulous flowers. 2½ ft. June.	1.50	10.00
carpatica alba. Branching stems bearing cup-shaped, white flowers, 1½ inches or more in diameter. 1 ft. July-August.	2.00	12.00
lactiflora. A free flowering border plant with much branched stems and pyramidal heads of clear lavender blue flowers. 4 ft. July.	1.50	10.00
macrantha. A vigorous grower, 4 to 5 ft. high, the stems terminating in clusters of large, deep blue flowers. July.	1.50	10.00
persicifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July. 2½ ft.	1.50	10.00
“ alba. A white variety of the preceding.	1.50	10.00
Raddeana. A rare and distinct species bearing deep purple bells on thin wiry stems. 9 inches. June-July.	2.00	12.00

CENTAUREA

macrocephala. A stately plant of robust habit, bearing large, globular heads of golden yellow flowers. 4-5 ft. July-August.	1.50	10.00
montana. Woolly foliage and bright blue flowers. 1½ ft. June-July.	1.50	10.00
“ alba. A white variety of the last.	1.50	10.00

Per Doz.—Per 100

CERASTIUM

tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers.	1.50	10.00
---	------	-------

CHRYSANTHEMUM

maximum. (Shasta Daisy) A useful plant for cutting, the large, white daisy-like flowers are produced over a long period. 2 ft. June-September.	1.25	8.00
---	------	------

CLEMATIS

integrifolia. Drooping, blue flowers are borne towards the top of erect stems about 2 ft. high. July-August.	2.00	12.00
---	------	-------

COREOPSIS

grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout summer.	1.25	8.00
---	------	------

CRUCIANELLA

stylosa. A useful trailer for the rock garden bearing terminal clusters of pink flowers.	1.50	10.00
---	------	-------

DELPHINIUM

Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½-3 ft.	1.25	8.00
Bellamosum. Similar in habit and growth to the above, but having dark blue flowers.	1.25	8.00
formosum. A robust growing Larkspur having dark blue flowers with white centers. 4 ft. June-September.	1.25	8.00
grandiflorum. (chinense) Gentian-blue flowers; finely divided foliage. 2 ft. June-September.	1.25	8.00
“ album. A white variety of the last.	1.25	8.00

DIANTHUS

alpinus. A lovely dwarf Alpine with deep pink flowers borne close down to the foliage, which they entirely hide in May and June. 4 inches.	3.00	20.00
“ albus. A very rare and beautiful white variety of the preceding.	3.00	20.00
deltoides albus. A white variety of the Maiden Pink; suitable either for rock garden or border. 6 inches. June-July.	1.50	10.00

	Per Doz.—Per 100	
DIANTHUS (Continued)		
plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from white to crimson. 1 ft. May-June.	1.25	8.00
“ Miss Gladys Cranfield. A new variety of exceptional merit. It is of compact growth and bears large, flat, rosy lilac flowers with velvety maroon centers on stems about 1 ft. high.	2.00	12.00
DIELYTRA		
formosa. Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.	1.50	10.00
DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.		
gloxinaeflora. Pink, purple, white; separate.	1.25	8.00
“ The Shirley.. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose.	1.50	10.00
DRACOCEPHALUM		
Ruyschianum. One of the showiest of spring flowering plants and one we recommend to those seeking something unusual. It forms a clump of many stems, each one being thickly covered during May with purplish blue, Salvia shaped flowers. 1 to 1½ ft.	2.00	12.00
ECHINACEA (Purple Coneflower)		
purpurea. A distinct plant of uncommon beauty. Large, pinkish-purple flowers having cone-shaped, orange red centers, are borne on strong, straight stems, 3 to 4 ft. in height. July-August.	1.50	10.00
ECHINOPS (Globe Thistle) Vigorous and stately plants, attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.		
Ritro. Globular heads of glistening blue flowers. 4 ft. July-August.	1.50	10.00
sphaerocephalus. Heads of grayish white flowers. 6 ft. August.	1.50	10.00

Per Doz.—Per 100

ERIGERON

Quakeress. An excellent plant for cutting. It yields a continuous supply of violet-blue flowers from June to October. 2 ft. 2.00 12.00

ERYNGIUM (Sea Holly)

pianum. Small flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July-August. 1.25 8.00

EUPATORIUM

coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratum-like flowers from August to October. 2 ft. 1.50 10.00

Fraseri. Feathery white flowers. 2 ft. July-September. 1.25 8.00

EUPHORBIA (Spurge)

corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for shipping and its small pure white flowers take the place of *Gypsophila paniculata* when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September. 1.50 10.00

polychroma. A conspicuous object in early spring. It has a bushy, much branched habit each branch terminating in a whorl of bright petal-like bracts. 1½ ft. 1.50 10.00

FUNKIA

undulata variegata. Creamy white and green variegated leaves. 1.50 10.00

GAILLARDIA

grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivaled. 2 ft. June-September. 1.25 8.00

GEUM

Lady Stratheden. A new variety similar in habit and growth to the well known *Geum Mrs. Bradshaw*. It bears large, old gold, double flowers. 2 ft. May-June. 1.50 10.00

GEUM (Continued)

Per Doz.—Per 100

Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced from tufts of evergreen foliage and bear large, rich scarlet, double flowers in great profusion. 2 ft. May-June.	1.50	10.00
--	------	-------

GLOBULARIA (Globe Daisy)

tricosantha. A low growing rock plant bearing globular heads of pale blue flowers arising from tufts of shiny green foliage. 6 inches. May-June.	1.50	10.00
---	------	-------

GYPSOPHILA

paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July.	1.25	8.00
repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July.	1.50	10.00
“ monstrosa. A stronger and more erect growing variety of the preceding. 9 inches. May-July.	2.00	12.00

HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower.

autumnale Riverton Beauty. Clear yellow flowers with black centers. 4 ft. August-September.	1.50	10.00
“ Riverton Gem. Rich mahogany-red flowers	1.50	10.00
“ surperbum. Yellow. 4 ft. August-September.	1.50	10.00

Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00
---	------	-------

HELIANTHEMUM. (Rock or Sun Rose) Dwarf evergreen shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.

Fireball. Brilliant scarlet. 9 inches.	2.00	12.00
macranthum. Large creamy white. 6 inches.	2.00	12.00

	Per Doz.—Per 100	
HELIANTHEMUM (Continued)		
Mrs. Earle. Double scarlet flowers. 9 inches.	2.00	12.00
praecox. Large, soft yellow flowers. Silvery foliage. 9 inches.	2.00	12.00
HELIANTHUS		
multiflorus fl. pl. Large, double, yellow, globular flowers during August and September. 5 ft.	1.50	10.00
HELIOPSIS		
Pitcheriana. Golden yellow flowers throughout the summer. 3 ft.	1.25	8.00
HEMEROCALLIS		
Dumortieri. Orange-yellow, lily-like flowers. 1½ ft. June-July.	1.50	10.00
HEUCHERA		
Mixed Hybrids. Compact tufts of foliage and spikes of bell shaped flowers varying in color from white, through pink to crimson. 1½ to 2 ft. July.	2.00	12.00
HIBISCUS (Mallow)		
Marvel Mallows. Pink, red, white, mixed.	1.50	10.00
HIERACIUM		
villosum. Soft, downy, silvery leaves and golden yellow flowers. 1 ft. June-July.	1.50	10.00
HOLLYHOCK. Our double varieties, with the exception of Newport Pink, are Chater's celebrated strain, and may be relied upon to come true to color.		
Double Varieties: Apple Blossom, Bright Rose, Cerise, Crimson, Newport Pink, Salmon Rose, White, Yellow.	1.50	10.00
Single Mixed.	1.50	10.00
HYPERICUM		
olympicum. A rare rock plant, gray foliage and very large, yellow flowers. 6 in. June-July.	3.00	20.00
IBERIS (Candytuft)		
sempervirens. An invaluable and popular spring flow- ering plant of dwarf and compact habit, bear- ing masses of snow white flowers produced in large trusses.. 9 in.. April-May.	1.25	8.00
" Little Gem.. A miniature form of the above.	2.00	12.00

Per Doz.—Per 100

INCARVILLEA

- Delavayi.** A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of *Bignonia grandiflora*; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to twelve flowers on stout erect stems. July. Strong flowering roots.. 2.00 12.00
- grandiflora.** Larger flowers than the preceding but dwarfer and less vigorous. 2.50 15.00

INULA

- ensifolia.** Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft. 1.50 10.00
- glandulosa.** A little known plant of rare beauty. The flowers are golden and fully five inches across, with long thread-like ray petals. 2 ft. June-July. 2.00 12.00

IRIS

- cristata.** A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in. May. 1.50 10.00
- pumila Cyanea.** Violet-purple. 9 in. May. 1.50 10.00
- “ **The Bride.** Pure white. 9 in. May. 1.25 8.00

LATHYRUS (Perennial Sweet Pea)

- latifolius albus.** A vigorous climber. White flowers. 1.50 10.00
- “ **roseus.** A pink variety. 1.50 10.00

LEONTOPODIUM

- alpinum (Edelweiss).** White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance. 6 in. May-June. 2.00 12.00

LIATRIS

- callilepis.** Stems 2½ to 3 ft. in height covered with deep lilac flowers. July-August. 2.00 12.00
- pycnostachya.** Long slender stems with rosy purple flowers. 4-5 ft. July-August. 1.50 10.00
- scariosa.** Deep purple. 2-3 ft. June-July. 1.50 10.00

LINUM (Flax)

- perenne.** A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft. 1.25 8.00
- “ **album.** A white variety of the above. 1.25 8.00

Per Doz.—Per 100

LYCHNIS

alpina. Compact cushions of rich green leaves studded in April and May with heads of pink flowers.	1.50	10.00
chalconica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flowers. 2-3 ft. July-August.	1.50	10.00
“ alba. A white variety of the above.	1.50	10.00

LYSIMACHIA

nummularia. A prostrate trailer, spangled during spring and early summer with large, clear yellow flowers.	1.25	8.00
---	------	------

LYTHRUM

virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September. .	1.50	10.00
---	------	-------

NEPETA

Mussini. (Catmint). A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.	1.50	10.00
--	------	-------

OENOTHERA (Evening Primrose)

fruticosa Youngii. One of the showiest of hardy perennials, being covered during June and July with bright yellow flowers. 2 ft.	1.50	10.00
missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June-August.	1.50	10.00
speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.	1.50	10.00

ONOSMA (Golden Drop)

stellatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping clusters of amber-colored, drop-shaped blossoms, deliciously almond scented. 1-1½ ft.	3.00	20.00
---	------	-------

PARADANTHUS (Blackberry Lilly)

chinensis. Bright orange, lily-like flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.50	10.00
--	------	-------

Per Doz.—Per 100

PAPAVER

nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.	1.50	10.00
orientale. Large scarlet flowers. 3 ft. May- June	1.50	10.00
“ Mrs. Perry. Medium size flowers of a pleasing shade of pink. 2½ ft. May-June.	2.00	12.00
“ Mixed.. Varying shades of red, pink and scarlet.	1.50	10.00

PENTSTEMON

barabatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft. June-August.	1.50	10.00
Digitalis. White, tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July.	1.50	10.00

PHLOX. One of the most important families of hardy perennials and one that should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of water.

	1.25	8.00
Albion. White with faint red eye. 2½ ft.	1.25	8.00
Antonin Mercier.. Soft lilac blue with white center. 2 ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 2½ ft.	1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.25	8.00
Bridesmaid. White with rose crimson eye. 2½ ft.	1.25	8.00
Europa. White with carmine eye. 2½ ft.	1.25	8.00
Geffion. Soft pink with soft rose eye. 2½ ft.	1.50	10.00
Gruppenkonigen. Flesh pink with carmine eye. 2½ ft.	1.50	10.00
La Vogue.. Pinkish mauve. 2½ ft.	1.25	8.00
Mrs. Jenkins. Pure white; large trusses. 2½ ft.	1.25	8.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.25	8.00
R. P. Struthers. Rosy red with crimson eye. 2 ft.	1.25	8.00
Thor. Very large trusses of dazzling pink flowers. 2½ ft.	1.25	8.00
suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint lilac eyes. 2½ ft. June-September.	1.50	10.00

	Per Doz.—Per 100	
PHLOX, Dwarf varieties		
amoena. Compact of glossy green foliage and masses of vivid pink flowers in April and May. 9 in.	1.50	10.00
carolina. Numerous slender stems, each terminating in a truss of deep rose flowers. 1 ft. May.	2.00	12.00
divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May.	1.50	10.00
subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 in.	1.25	8.00
“ G. F. Wilson. One of the best and most floriferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. 6 in.	2.00	12.00
“ lilacina. A lilac variety.	1.25	8.00
“ rosea. A pink variety.	1.25	8.00
PHYSALIS (Winter Cherry)		
Franchetti. Bright orange bladder-like calyces enclosing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October.	1.25	8.00
PHYSOSTEGIA		
virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August.	1.25	8.00
“ alba. A white variety of the foregoing.	1.25	8.00
“ grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large, brilliant pink flowers, somewhat resembling a snap dragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering plants. August-September.	1.50	10.00
PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June.	1.25	8.00
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white; large flowers.	2.00	12.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyons. Deep rose.	1.25	8.00
White Reserve. Pure white; perpetual flowering.	1.25	8.00

	Per Doz.—Per 100	
PLATYCODON. (Balloon Flower)		
<i>grandiflorum</i> . Blue bell-shaped flowers borne on slender stems. 2 ft. June-October.	1.25	8.00
“ <i>album</i> . A white variety of the above.	1.25	8.00
PLUMBAGO		
<i>Larpetae</i> . (Leadwort) Forms compact tufts of innumerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October..	1.50	10.00
POLEMONIUM		
<i>humile</i> . A choice and rare rock plant of neat tufted habit, bearing dense trusses of satiny, pale blue flowers in great profusion. May-June. 6 inches.	2.50	15.00
<i>Richardsoni</i> . Neat tufts of vivid green foliage and erect spikes of pale blue flowers. 1½ ft. May.	1.50	10.00
POLYANTHUS. A choice mixed strain, varying from white to crimson. 9 inches. May.		
	1.50	10.00
PYRETHRUM		
<i>roseum</i> . Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.	1.25	8.00
RANUNCULUS		
<i>repens</i> fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May.	1.25	8.00
RUDBECKIA		
<i>Golden Glow</i> . Double, deep yellow flowers. 6 ft. July-September.	1.25	8.00
SAGINA		
<i>glabra</i> . Emerald green cushions of moss-like growth covered in spring with numberless, small white flowers. 2 in.	1.50	10.00
SALVIA		
<i>azurea grandiflora</i> . Tall straight stems covered for half their length with sky-blue flowers. 4-5 ft. August-September.	1.25	8.00
<i>virgata nemerosa</i> . Branching spikes of violet-blue flowers in a continuous succession from June until frost. 2 ft.	2.00	12.00

	Per Doz.—Per 100	
SANTOLINA (Cotton Lavender)		
incana. An aromatic, compact growing, half shrubby plant with silvery foliage. 1 ft.	1.25	8.00
SAPONARIA		
ocymoides. A good plant for carpeting in the herbaceous border or for trailing down the slopes in the rock garden.. Spangled with bright pink flowers in spring.	1.50	10.00
SCABIOSA		
caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2½ ft.	2.00	12.00
“ alba. A white variety of the above.	2.00	12.00
SCUTELLARIA (Skull Cap)		
baicalensis coelestina. Clear blue flowers, resembling those of a snapdragon in shape, are freely borne on thin wiry stems from early summer until frost. 1½ ft.	1.50	10.00
SEDUM		
acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May.	1.50	10.00
album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging plant.	1.50	10.00
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in.	1.50	10.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in.	1.50	10.00
obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4 in. June.	2.00	12.00
reflexum. Clusters of golden flowers. 9 in. June-July.	1.50	10.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.50	10.00
Sieboldii. Round, fleshy, gray leaves and clusters of pink flowers. One of the most attractive Sedums. 9 in. August-September.	2.00	12.00

SEDUM (Continued)

Per Doz.—Per 100

stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 in. June-July.	1.50	10.00
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September..	1.25	8.00
“ Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red.	1.50	10.00

SIDALCEA

Rosy Gem. Pink mallow-like flowers on slender graceful stems. 2½ ft. July.	2.00	12.00
---	------	-------

SPIRAEA

Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July.	1.50	10.00
--	------	-------

STOKESIA

cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling stems. 1½ ft. August-October.	1.50	10.00
---	------	-------

STATICE

latifolia. (Sea Lavender). Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft. August-September.	1.50	10.00
---	------	-------

SWEET WILLIAM

Newport Pink.	1.25	8.00
Scarlet Beauty.	1.25	8.00
White.	1.25	8.00

THALICTRUM

adiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July.	1.50	10.00
aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July.	1.50	10.00
“ purpureum.. Pinkish purple flowers.	1.50	10.00
glaucum. Glaucous foliage and large, feathery heads of yellow flowers.	1.50	10.00

Per Doz.—Per 100

THYMUS

lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers.	1.50	10.00
Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July.	1.50	10.00
“ coccineus. A scarlet flowered variety.	1.50	10.00

TRITOMA (Torch Lily)

Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October.	2.50	15.00
Mixed Hybrids. A choice mixture, varying from yellow to scarlet.	1.50	10.00

TUNICA

Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September.	1.50	10.00
---	------	-------

VALERIANA

officinalis. A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July.	1.50	10.00
---	------	-------

VERONICA

incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June.	1.50	10.00
repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers.	1.50	10.00
Royal Blue. A dwarf bushy plant bearing clusters of dark blue flowers. Good for rock garden or border. 1 ft. May-June.	2.00	12.00
rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers.	1.50	10.00
spicata. Spikes of blue flowers. 2 ft. June-August.	1.50	10.00
subsessilis. Stout erect stems of intense blue flowers. 2-3 ft. July-August.	1.50	10.00

VIOLA

pedata. (Bird's Foot Violet). Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May	1.50	10.00
---	------	-------

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

<i>Achillea tomentosa</i>	<i>Iris pumila</i> The Bride
<i>Achillea umbellata</i>	<i>Leontopodium alpinum</i>
<i>Aethionema coridifolium</i>	<i>Lychnis alpina</i>
<i>Alyssum argenteum</i>	<i>Nepeta Mussini</i>
<i>Alyssum saxatile compactum</i>	<i>Oenothera missouriensis</i>
<i>Anemone Pulsatilla</i>	<i>Onosma stellulatum</i>
<i>Anemone Pulsatilla rubrum</i>	<i>Phlox amoera</i>
<i>Aquilegia flabellata</i>	<i>Phlox carolina</i>
<i>Arabis alpina</i>	<i>Phlox divaricata</i>
<i>Arenaria laricifolia</i>	<i>Phlox subulata alba</i>
<i>Arenaria montana</i>	<i>Phlox subulata</i> G. F. Wilson
<i>Armeria Cephalotes</i>	<i>Phlox subulata lilacina</i>
<i>Armeria maritima alba</i>	<i>Phlox subulata rosea</i>
<i>Armeria maritima Lauchiana</i>	<i>Plumbago Larpentae</i>
<i>Aster alpinus</i>	<i>Polemonium humile</i>
<i>Aster alpinus albus</i>	<i>Polemonium reptans</i>
<i>Aster subcoeruleus</i>	<i>Ranunculus repens</i> fl. pl.
<i>Campanula carpatica alba</i>	<i>Sagina gabra</i>
<i>Cerastium tomentosum</i>	<i>Santolina incana</i>
<i>Cruciferaella stylosa</i>	<i>Saponaria ocymoides</i>
<i>Dianthus arenarius</i>	<i>Sedum acre</i>
<i>Dianthus alpinus</i>	<i>Sedum album</i>
<i>Dianthus alpinus albus</i>	<i>Sedum hispanicum</i>
<i>Dianthus deltoides albus</i>	<i>Sedum lydium</i>
<i>Globularia tricosantha</i>	<i>Sedum obtusatum</i>
<i>Gypsophila repens</i>	<i>Sedum reflexum</i>
<i>Gypsophila repens monstrosa</i>	<i>Sedum stoloniferum</i>
<i>Helianthemum Fireball</i>	<i>Thymus lanuginosus</i>
<i>Helianthemum macranthum</i>	<i>Thymus Serpyllum albus</i>
<i>Helianthemum Mrs. Earle</i>	<i>Thymus Serpyllum coccineus</i>
<i>Helianthemum praecox</i>	<i>Tunica Saxifraga</i>
<i>Iberis sempervirens</i>	<i>Veronica incana</i>
<i>Iberis sempervirens Little Gem</i>	<i>Veronica repens</i>
<i>Inula ensifolia</i>	<i>Veronica Royal Blue</i>
<i>Iris cristata</i>	<i>Veronica rupestris</i>
<i>Iris pumila cyanea</i>	<i>Viola pedata</i>

All plants in the following list are suitable for cutting, a careful selection will provide a supply of flowers from spring until fall.

Achillea Ptarmica The Pearl	Helianthus multiflorus fl. pl.
Achillea Ptarmica Boule de Neige	Heliopsis Pitcheriana
Anthemis tinctoria Kelwayi	Inula glandulosa
Armeria Cephalotes	Liatris pycnostachya
Baptisia australis	Pentstemon barbatus Torreyi
Campanula persicifolia	Phlox Miss Lingard
Campanula persicifolia alba	Physalis Franchetti
Chrysanthemum maximum	Pink Excelsior
Coreopsis grandiflora	Pink Her Majesty
Delphinium Belladonna	Pink Homer
Delphinium Bellamosum	Pink Juliette
Delphinium formosum	Pink Lord Lyon
Dianthus Miss Gladys Cranfield	Pink White Reserve
Eryngium planum	Pyrethrum roseum
Eupatorium coelestinum	Scabiosa caucasica
Euphorbia corollata	Scabiosa caucasica alba
Gaillardia grandiflora	Statice latifolia
Geum Lady Stratheden	Thalictrum adiantifolium
Geum Mrs. Bradshaw	Tritoma Pfitzeri
Gypsophila paniculata	Veronica subsessilis

Prices and descriptions of the plants in the preceding lists will be found in the body of catalogue.

